

график ежегодных замеров нагрузок с 24 июня по 28 июня 2019г.

коэф. транс.	Дата время	Мощность ТП (кВА)	№ ТП	Замеры 24.06.19г. (А)
			ТП-205-Аэронавигация	
		2x630	ТП-5 -Аэронавигация	
200		2x630	1019	
40		250	1175	
200		2x630	947	
120		2x1000	15	480
160		2x1000	16	102
120-?		1000	5	55
200		2x1000	6	46
200		2x1000	7	0
200		2x400	10	223
120		400	9 "Русичи"	5
120		400	10"Русичи"	60
		2x1000	1088	556
80		400	35	0
300		2x630	36	465
300		2x630	37	668
120/300		2x630	38	163,5
60		250	39	44
50		160	40(1189)	30
60		250	41(709)	53
40		160	43	22
80		250	44	155
		63	45	6
80		400	46	27
80		400	47(692)	41
80		250	48(700)	169
40		160	50(944)	17
		2x250	52	960/85
30		400	54	392
40		400	56(929)	59
		630	35Т	202
60		250	57(1067)	225
120		630	60(1055)	469
120		400	61(1267)	757
50		160	62(1232)	6
300		2x1000	66(1220)	323
		400	67(992)	15
120		400	68(1214)	481
200		2x630	69(309)	313
80		2x250	70(484)	140
		2x1000	73(1668)	618

		2x1000	74(1669)	452
		2x1000	75(1748)	663
		2x1000	76(1749)	535
		2x1250	77(1750)	713
		2x1000	78(1751)	566
		2x1250	79(1655)	528
400		2x1250	80(30)	380
		63	81(1332)	2
		630	91(1373)	225
2000		630	92(1435)	0
80		2x250	93(1369)	249
40		250	95	32
50		160	97(1349)	11
		250	100(2044)	332
40		250	104(819)	222
60		250	105(938)	190
40			106	223
50			107	65,9
50			108	102
50			109	118,7
50			110	146,5
50			111	186
			112(179)	31,2
50			113	166,5
40			114	284,5
50			115	122
50			116	71
40			117	58
20			118	44
20			119	32
		400	120(716)	217
50		160	121(1316)	26,5
100		400	122(1181)	208
80		250	145(1477)	203
200		2x630	146(23)	624
60		400	147	0,3
80		630	148	132
80		630	149	110
		630	РП №10 (Винзили)	5
160		400	42	11
120		400	49(2025)	4
2000		1600	55	656
200		630	71(1986)	51
200		630	72(1960)	77
20		100	96(2519)	101
80		2x400	123(72)	19
40		160	150(2149)	83
80		630	151(1870)	22
		250	152(45)	6
		400	153(250)	41

60		400	154	210
40		250	155(2126)	227
30		100	156(869)	80
40		160	159(446)	14
80		250	160(447)	10
400		2x1250	161(1600)	659
120		400	164(2052)	156
120		250	165(2054)	439
160		250	166(2107)	156
10		63	167	1,4
60		160	168(1695)	141
30		100	170(2844)	17
80		250	172	124
120		630	173(126)	143
120		630	174(127)	1128
600		1600	175(036)	0
30		100	176(1209)	11
600		1600	177(070)	412
		2x630	178(957)	233
		250	179(112)	
		2x2500	180(39)	
		2x1600	181(38)	
		630	182	
120		400	183	29
40		160	184(1845)	13
		630	185(0648)	137
120		400	186	4,32
8		40	187(1185)	0
80		250	188	28
		400	195(2)	319
		250	196(3)	135
		630	197(1)	294
		250	198	91
		400	199	0
			200	69
		160	201(1170)	39
		400	202	0
		2x1250	203	

